


Preservation Environment Evaluation

Type of Decay	Risks & Metrics	Evaluation & General Comments
Natural Aging Chemical decay of organic materials	<div style="background-color: #cccccc; text-align: center; padding: 2px;">OK</div> TWPI = 53	Generally OK, but fast decaying organic materials such as acidic paper, color photographs and cellulosic plastics will be at elevated risk due to the cumulative effects of temperature and humidity
Mechanical Damage Physical damage to hygroscopic materials	<div style="background-color: #800000; color: white; text-align: center; padding: 2px;">RISK</div> % DC = 2 % EMC min = 4.8 % EMC max = 12	Heightened risk of physical damage to any hygroscopic material, such as paintings, rare books, furniture, paper, leather, film, or color photos, due to extremely low or high levels of humidity, and / or excessive humidity fluctuation.
Mold Risk Mold growth in area or on collection objects	<div style="background-color: #4CAF50; color: white; text-align: center; padding: 2px;">GOOD</div> MRF = 0	Minimal risk of mold growth.
Metal Corrosion Corrosion of metal components or objects	<div style="background-color: #800000; color: white; text-align: center; padding: 2px;">RISK</div> % EMC max = 12	Heightened risk of metal corrosion due to extended periods of high levels of humidity.

Graphs




Statistics

Temperature		Relative Humidity		Dew Point	
T °F Mean	67.8	%RH Mean	39	DP °F Mean	39.9
T °F Median	67.4	%RH Median	36	DP °F Median	40.7
T °F Stdev	1.7	%RH Stdev	17	DP °F Stdev	12.4
T °F Min	65.6	%RH Min	15	DP °F Min	16.7
T °F Max	79.1	%RH Max	68	DP °F Max	57.1

Preservation Environment Evaluation

Type of Decay	Risks & Metrics	Evaluation & General Comments
Natural Aging Chemical decay of organic materials	OK TWPI = 50	Generally OK, but fast decaying organic materials such as acidic paper, color photographs and cellulosic plastics will be at elevated risk due to the cumulative effects of temperature and humidity
Mechanical Damage Physical damage to hygroscopic materials	RISK % DC = 1.51 % EMC min = 5 % EMC max = 10.4	Heightened risk of physical damage to any hygroscopic material, such as paintings, rare books, furniture, paper, leather, film, or color photos, due to extremely low or high levels of humidity, and / or excessive humidity fluctuation.
Mold Risk Mold growth in area or on collection objects	GOOD MRF = 0	Minimal risk of mold growth.
Metal Corrosion Corrosion of metal components or objects	OK % EMC max = 10.4	Generally OK, but archeological or salt-encrusted metals may corrode due to extended periods of moderately high levels of humidity.

Graphs



Statistics

Temperature		Relative Humidity		Dew Point	
T °F Mean	70.1	%RH Mean	37	DP °F Mean	41.1
T °F Median	69.7	%RH Median	34	DP °F Median	42.2
T °F Stdev	2	%RH Stdev	14	DP °F Stdev	10.7
T °F Min	63.7	%RH Min	15	DP °F Min	17.2
T °F Max	79	%RH Max	63	DP °F Max	57